

References for Prevention of Insufficient Feeding Complications in Healthy, Term Newborns

By Christie del Castillo-Hegyi

1. Marchini G, Persson B, Berggren V, Hagenäs L. Hunger behaviour contributes to early nutritional homeostasis. *Acta Paediatr.* 1998 Jun;87(6):671-5.
2. Nommsen-Rivers LA, Heinig MJ, Cohen RJ, Dewey KG. Newborn wet and soiled diaper counts and timing of onset of lactation as indicators of breastfeeding inadequacy. *J Hum Lact.* 2008 Feb;24(1):27-33.
3. Yamane J, Ishibashi S, Sakaguchi M, Kuroiwa T, Kanemura Y, Nakamura M, Miyoshi H, Sawamoto K, Toyama Y, Mizusawa H, Okano H. Transplantation of human neural stem/progenitor cells overexpressing galectin-1 improves functional recovery from focal brain ischemia in the Mongolian gerbil. *Mol Brain.* 2011 Sep 27;4:35. doi: 10.1186/1756-6606-4-35. PubMed PMID: 21951913; PubMed Central PMCID: PMC3215926.
4. Zhou D, Qian J, Liu CX, Chang H, Sun RP. Repetitive and profound insulin-induced hypoglycemia results in brain damage in newborn rats: an approach to establish an animal model of brain injury induced by neonatal hypoglycemia. *Eur J Pediatr.* 2008 Oct;167(10):1169-74. doi: 10.1007/s00431-007-0653-2. Epub 2008 Jan 17. PubMed PMID: 18205012.
5. Auer RN. Hypoglycemic brain damage. *Metab Brain Dis.* 2004 Dec;19(3-4):169-75. Review. PubMed
6. Academy of Breastfeeding Medicine Protocol Committee.. ABM clinical protocol #22: guidelines for management of jaundice in the breastfeeding infant equal to or greater than 35 weeks' gestation. *Breastfeed Med.* 2010 Apr;5(2):87-93. PubMed PMID: 20387269
7. Chang RJ, Chou HC, Chang YH, Chen MH, Chen CY, Hsieh WS, Tsao PN. Weight loss percentage prediction of subsequent neonatal hyperbilirubinemia in exclusively breastfed neonates. *Pediatr Neonatol.* 2012 Feb;53(1):41-4. doi: 10.1016/j.pedneo.2011.11.008. Epub 2012 Jan 17.
8. Yang WC, Zhao LL, Li YC, Chen CH, Chang YJ, Fu YC, Wu HP. Bodyweight loss in predicting neonatal hyperbilirubinemia 72 hours after birth in term newborn infants. *BMC Pediatr.* 2013 Sep 21;13:145. doi: 10.1186/1471-2431-13-145.
9. Bertini G, Dani C, Tronchin M, Rubaltelli FF. Is breastfeeding really favoring early neonatal jaundice? *Pediatrics.* 2001 Mar;107(3):E41. PubMed PMID: 11230622.

10. Ben XM. Nutritional management of newborn infants: practical guidelines. *World J Gastroenterol.* 2008 Oct 28;14(40):6133-9. Review. PubMed PMID: 18985802; PubMed
11. Gidrewicz DA, Fenton TR. A systematic review and meta-analysis of the nutrient content of preterm and term breast milk. *BMC Pediatr.* 2014 Aug 30;14:216. doi: 10.1186/1471-2431-14-216. Review.
12. Neville MC, Keller R, Seacat J, Lutes V, Neifert M, Casey C, Allen J, Archer P. Studies in human lactation: milk volumes in lactating women during the onset of lactation and full lactation. *Am J Clin Nutr.* 1988 Dec;48(6):1375-86. PubMed PMID: 3202087.
13. Academy of Breastfeeding Medicine Protocol Committee.. ABM clinical protocol #3: hospital guidelines for the use of supplementary feedings in the healthy term breastfed neonate, revised 2009. *Breastfeed Med.* 2009 Sep;4(3):175-82. Erratum in: *Breastfeed Med.* 2011 Jun;6(3):159.
14. Flaherman VJ, Schaefer EW, Kuzniewicz MW, Li SX, Walsh EM, Paul IM. Early weight loss nomograms for exclusively breastfed newborns. *Pediatrics.* 2015 Jan;135(1):e16-23. doi: 10.1542/peds.2014-1532. Epub 2014 Dec 1.
15. Dewey KG, Nommsen-Rivers LA, Heinig MJ, Cohen RJ. Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics.* 2003 Sep;112(3 Pt 1):607-19.
16. Nommsen-Rivers LA, Chantry CJ, Peerson JM, Cohen RJ, Dewey KG. Delayed onset of lactogenesis among first-time mothers is related to maternal obesity and factors associated with ineffective breastfeeding. *Am J Clin Nutr.* 2010 Sep;92(3):574-84.
17. Young PC, Korgenski K, Buchi KF. Early readmission of newborns in a large health care system. *Pediatrics.* 2013 May;131(5):e1538-44.
18. Janet H. Muri, Nancy Crawford, Bonnie Connors Jellen, Director Maternal and Child Health American Hospital Association, Washington, DC. Reducing Avoidable Obstetrical and Neonatal Readmissions.
<http://www.aha.org/content/11/PerinatalReadmissionscall1.pdf>
19. Lee, B. K. et al. Haemolytic and Non-Haemolytic Neonatal Jaundice Have Different Risk Factor Profiles. *Acta Paediatr.* (2016). doi:10.1111/apa.13470
20. Flaherman V, Schaefer EW, Kuzniewicz MW, Li SX, Walsh EM, Paul IM. Health Care Utilization in the First Month After Birth and Its Relationship to Newborn Weight Loss and Method of Feeding. *Acad Pediatr.* 2017 Dec 2. pii: S1876-2859(17)30566-1.
21. Escobar, G. J. et al. Rehospitalization for neonatal dehydration: a nested case-control study. *Arch Pediatr Adolesc Med* **156**, 155–161 (2002).

22. Dassios T, Greenough A, Leontiadi S, Hickey A, Kametas NA. Admissions for hypoglycaemia after 35 weeks of gestation: perinatal predictors of cost of stay. *J Matern Fetal Neonatal Med.* 2018 Jan;31:1-7.
23. Oddie SJ, Craven V, Deakin K, Westman J, Scally A. Severe neonatal hypernatraemia: a population based study. *Arch Dis Child Fetal Neonatal Ed.* 2013 Sep;98(5):F384-7.
24. Chang, R.-J. et al. Weight loss percentage prediction of subsequent neonatal hyperbilirubinemia in exclusively breastfed neonates. *Pediatr Neonatol* 53, 41–44 (2012).
25. Chen, C.-F. et al. Influence of breast-feeding on weight loss, jaundice, and waste elimination in neonates. *Pediatr Neonatol* 52, 85–92(2011).
26. Yang, W.-C. et al. Bodyweight loss in predicting neonatal hyperbilirubinemia 72 hours after birth in term newborn infants. *BMC Pediatr* 13, 145 (2013)
27. Han, S. et al. A Model for Predicting Significant Hyperbilirubinemia in Neonates From China. *Pediatrics* 136 , e896-905 (2015)
28. Chen,Y.-J., Chen,W.-C. & Chen, C.-M. Risk factors for hyperbilirubinemia in breastfed term neonates. *Eur. J. Pediatr.* 171, 167–171 (2012).
29. Huang MS, Lin MC, Chen HH, Chien KL, Chen CH. Risk factor analysis for late-onset neonatal hyperbilirubinemia in Taiwanese infants. *Pediatr Neonatol.* 2009 Dec;50(6):261-5.
30. Huang A, Tai BC, Wong LY, Lee J, Yong EL. Differential risk for early breastfeeding jaundice in a multi-ethnic Asian cohort. *Ann Acad Med Singapore.* 2009 Mar;38(3):217-24.
31. Weight loss and hypernatremia in breast-fed babies: frequency in neonates with non-hemolytic jaundice.T arcan A, etal. *J Paediatr Child Health .* 2005 Sep-Oct
32. Kuzniewicz et al. Association Between Laboratory Calibration of a Serum Bilirubin Assay, Neonatal Bilirubin Levels, and Phototherapy Use. *JAMA Pediatrics.* *JAMA Pediatr.* 2016;170(6):557-56
33. Saint L, Smith M, Hartmann PE. The yield and nutrient content of colostrum and milk of women from giving birth to 1 month post-partum. *Br J Nutr.* 1984 Jul;52(1):87-95.
34. Hoa DP, Thanh HT, Höjer B, Persson LA. Young child feeding in a rural area in the Red River delta, Vietnam. *Acta Paediatr.* 1995 Sep;84(9):1045-9.

35. Srivastava SP, Sharma VK, Kumar V. Breast feeding pattern in neonates. Indian Pediatr. 1994 Sep;31(9):1079-82.
36. Hasan J, Khan Z, Sinha SN. Socio-cultural factors influencing nutritional status of infants – a longitudinal study. Indian J Matern Child Health. 1991;2(3):84-6.
37. Semega-Janneh IJ, Bøhler E, Holm H, Matheson I, Holmboe-Ottesen G. Promoting breastfeeding in rural Gambia: combining traditional and modern knowledge. Health Policy Plan. 2001 Jun;16(2):199-205.
38. Davies-Adetugbo AA. Sociocultural factors and the promotion of exclusive breastfeeding in rural Yoruba communities of Osun State, Nigeria. Soc Sci Med. 1997 Jul;45(1):113-25.
39. Delpot SD, Bergh AM, Hay IT. Breast-feeding practices in a private maternity hospital. S Afr Med J. 1988 Oct 15;74(8):396-9..
40. Islam MA, Nielsen CC. Maternal and child health services: evaluating mothers' perceptions and participation. Public Health. 1993 Jul;107(4):243-9.
41. Ashraf RN, Jalil F, Khan SR, Zaman S, Karlberg J, Lindblad BS, Hanson LA. Early child health in Lahore, Pakistan: V. Feeding patterns. Acta Paediatr Suppl. 1993 Aug;82 Suppl 390:47-61.
42. Akuse RM, Obinya EA. Why healthcare workers give prelacteal feeds. Eur J Clin Nutr. 2002 Aug;56(8):729-34.
43. Neville MC, Keller R, Seacat J, Lutes V, Neifert M, Casey C, Allen J, Archer P. Studies in human lactation: milk volumes in lactating women during the onset of lactation and full lactation. Am J Clin Nutr. 1988 Dec;48(6):1375-86.
44. Bergman NJ. Neonatal stomach volume and physiology suggest feeding at 1-h intervals. Acta Paediatr. 2013 Aug;102(8):773-7. doi: 10.1111/apa.12291. Epub 2013 Jun 3. Review.
45. Samayam P, Ranganathan PK, Kotari UD, Balasundaram R. Study of Asymptomatic Hypoglycemia in Full Term Exclusively Breastfed Neonates in First 48 Hours of Life. J Clin Diagn Res. 2015 Sep;9(9):SC07-10. doi: 10.7860/JCDR/2015/14971.6610. Epub 2015 Sep 1.
46. Kaiser JR, Bai S, Gibson N, Holland G, Lin TM, Swearingen CJ, Mehl JK, El Hassan NO. Association Between Transient Newborn Hypoglycemia and Fourth-Grade Achievement Test Proficiency: A Population-Based Study. JAMA Pediatr. 2015 Oct;169(10):913-21.
47. Wickström R, Skiöld B, Petersson G, Stephansson O, Altman M. Moderate neonatal hypoglycemia and adverse neurological development at 2-6 years of age. Eur J

Epidemiol. 2018 Oct;33(10):1011-1020. doi: 10.1007/s10654-018-0425-5. Epub 2018 Jul 20.

48. Seske LM, Merhar SL, Haberman BE. Late-Onset Hypoglycemia in Term Newborns With Poor Breastfeeding. Hosp Pediatr. 2015 Sep;5(9):501-4.
49. Marwah A, Gathwala G. Symptomatic hypoglycemia causing brain injury in a term breast-fed newborn following early discharge. Indian J Pediatr. 2011 Dec;78(12):1549-51.
50. Burns CM, Rutherford MA, Boardman JP, Cowan FM. Patterns of cerebral injury and neurodevelopmental outcomes after symptomatic neonatal hypoglycemia. Pediatrics. 2008 Jul;122(1):65-74. doi: 10.1542/peds.2007-2822. PubMed PMID: 18595988.
51. McKinlay CJ, Alsweiler JM, Ansell JM, Anstice NS, Chase JG, Gamble GD, Harris DL, Jacobs RJ, Jiang Y, Paudel N, Signal M, Thompson B, Wouldes TA, Yu TY, Harding JE; CHYLD Study Group. Neonatal Glycemia and Neurodevelopmental Outcomes at 2 Years. N Engl J Med. 2015 Oct 15;373(16):1507-18.
52. Thornton PS, Stanley CA, De Leon DD, Harris D, Haymond MW, Hussain K, Levitsky LL, Murad MH, Rozance PJ, Simmons RA, Sperling MA, Weinstein DA, White NH, Wolfsdorf JI; Pediatric Endocrine Society.. Recommendations from the Pediatric Endocrine Society for Evaluation and Management of Persistent Hypoglycemia in Neonates, Infants, and Children. J Pediatr. 2015 Aug;167(2):238-45.
53. Tam EW, Haeusslein LA, Bonifacio SL, Glass HC, Rogers EE, Jeremy RJ, Barkovich AJ, Ferriero DM. Hypoglycemia is associated with increased risk for brain injury and adverse neurodevelopmental outcome in neonates at risk for encephalopathy. J Pediatr. 2012 Jul;161(1):88-93.
54. Bhutani VK, Johnson-Herman L. The clinical syndrome of bilirubin-induced neurologic dysfunction. Semin Fetal Neonatal Med. 2015 Feb;20(1):6-13. doi: 10.1016/j.siny.2014.12.008. Epub 2015 Jan 7.
55. Wei CC, Chang CH, Lin CL, Chang SN, Li TC, Kao CH. [Neonatal jaundice and increased risk of attention-deficit hyperactivity disorder: a population-based cohort study](#). J Child Psychol Psychiatry. 2015 Apr;56(4):460-7. doi: 10.1111/jcpp.12303. Epub 2014 Jul 24. PubMed PMID: 25056274.
56. Ricardo-Garcell J, Harmony T, Porras-Kattz E, Colmenero-Batallán MJ, Barrera-Reséndiz JE, Fernández-Bouzas A, Cruz-Rivero E. [Epileptic encephalopathy in children with risk factors for brain damage](#). Epilepsy Res Treat. 2012;2012:747565. doi: 10.1155/2012/747565. Epub 2012 Jul 12. PubMed PMID: 22957240; PubMed Central PMCID: PMC3420497.

57. Andrade E, Araujo Júnior E, Rolo LC, Costa Fda S. [Risk factors for cerebral palsy in premature infants identified during the pre and perinatal periods: a case-control study.](#) Minerva Ginecol. 2016 Feb;68(1):29-36. Epub 2014 Nov 21. PubMed PMID: 25415488.
58. Maimburg RD, Olsen J, Sun Y. [Neonatal hyperbilirubinemia and the risk of febrile seizures and childhood epilepsy.](#) Epilepsy Res. 2016 Aug;124:67-72. doi: 10.1016/j.epilepsyres.2016.05.004. Epub 2016 May 19. PubMed PMID: 27259071.
59. Wusthoff CJ, Loe IM. [Impact of bilirubin-induced neurologic dysfunction on neurodevelopmental outcomes.](#) Semin Fetal Neonatal Med. 2015 Feb;20(1):52-57. doi:10.1016/j.siny.2014.12.003. Epub 2015 Jan 10. Review.
60. Sarici D, Gunes T, Yazici C, Akin MA, Korkmaz L, Memur S, Kurtoglu S, Ozturk MA, Sarici SU. Investigation on malondialdehyde, S100B, and advanced oxidation protein product levels in significant hyperbilirubinemia and the effect of intensive phototherapy on these parameters. Pediatr Neonatol. 2015 Apr;56(2):95-100.
61. Okumus N, Turkyilmaz C, Onal EE, Atalay Y, Serdaroglu A, Elbeg S, Koc E, Deda G, Cansu A, Gunduz B. Tau and S100B proteins as biochemical markers of bilirubin-induced neurotoxicity in term neonates. Pediatr Neurol. 2008 Oct;39(4):245-52.
62. Hokkanen L, Launes J, Michelsson K. Adult neurobehavioral outcome of hyperbilirubinemia in full term neonates-a 30 year prospective follow-up study. PeerJ. 2014 Mar 4;2:e294.
63. Koklu E, Gunes T, Ozturk MA, Kose M, Kurtoglu S, Yuksel F. A review of 116 cases of breastfeeding-associated hypernatremia in rural area of central Turkey. J Trop Pediatr. 2007 Oct;53(5):347-50. Epub 2007 May 12.
64. Uras N, Karadag A, Dogan G, Tonbul A, Tatli MM. Moderate hypernatremic dehydration in newborn infants: retrospective evaluation of 64 cases. J Matern Fetal Neonatal Med. 2007 Jun;20(6):449-52.
65. Lavagno C, Camozzi P, Renzi S, Lava SA, Simonetti GD, Bianchetti MG, Milani GP. Breastfeeding-Associated Hypernatremia: A Systematic Review of the Literature. J Hum Lact. 2016 Feb;32(1):67-74.
66. Unal S, Arhan E, Kara N, Uncu N, Aliefendioğlu D. Breast-feeding-associated hypernatremia: retrospective analysis of 169 term newborns. Pediatr Int. 2008 Feb;50(1):29-34.
67. Ferrández-González M, Bosch-Giménez V, López-Lozano J, Moreno-López N, Palazón-Bru A, Cortés-Castell E. Weight loss thresholds to detect early hypernatremia in newborns. J Pediatr (Rio J). 2018 Jul 18. pii:S0021-7557(18)30386-3.

68. Eidelman AI. Breastfeeding and the use of human milk: an analysis of the American Academy of Pediatrics 2012 Breastfeeding Policy Statement. *Breastfeed Med.* 2012 Oct;7(5):323-4.
69. Yang WC, Zhao LL, Li YC, Chen CH, Chang YJ, Fu YC, Wu HP. Bodyweight loss in predicting neonatal hyperbilirubinemia 72 hours after birth in term newborn infants. *BMC Pediatr.* 2013 Sep 21;13:145.
70. Escobar GJ, Liljestrand P, Hudes ES, Ferriero DM, Wu YW, Jeremy RJ, Newman TB. Five-year neurodevelopmental outcome of neonatal dehydration. *J Pediatr.* 2007 Aug;151(2):127-33, 133.e1.
71. Manual Expression from Stanford Medicine:
<https://med.stanford.edu/newborns/professional-education/breastfeeding/hand-expressing-milk.html>
72. Perfect Latch from Stanford Medicine:
<https://med.stanford.edu/newborns/professional-education/breastfeeding/a-perfect-latch.html>
73. Fed is Best Feeding Plan: <https://fedisbest.org/resources-for-parents/feeding-plan/>
74. Informed Consent of Insufficient Feeding Complications:
<https://fedisbest.org/information-for-hospitals-ensuring-safety-for-breastfed-newborns/informed-consent-regarding-risks-of-insufficient-feeding/>
75. Jensen D, Wallace S, Kelsay P. LATCH: a breastfeeding charting system and documentation tool. *J Obstet Gynecol Neonatal Nurs.* 1994 Jan;23(1):27-32.
76. Nommsen-Rivers LA, Heinig MJ, Cohen RJ, Dewey KG. Newborn wet and soiled diaper counts and timing of onset of lactation as indicators of breastfeeding inadequacy. *J Hum Lact.* 2008 Feb;24(1):27-33.
77. Section on Breastfeeding. Breastfeeding and the use of human milk. *Pediatrics.* 2012 Mar;129(3):e827-41.
78. Newborn weight loss tool - <https://www.newbornweight.org/>
79. Flaherman VJ, Aby J, Burgos AE, Lee KA, Cabana MD, Newman TB. Effect of early limited formula on duration and exclusivity of breastfeeding in at-risk infants: an RCT. *Pediatrics.* 2013 Jun;131(6):1059-65.
80. Straňák Z, Feyereislova S, Černá M, Kollárová J, Feyereisl J. Limited Amount of Formula May Facilitate Breastfeeding: Randomized, Controlled Trial to Compare Standard Clinical Practice versus Limited Supplemental Feeding. *PLoS One.* 2016 Feb 26;11(2):e0150053.

81. Flaherman VJ, Narayan NR, Hartigan-O'Connor D, Cabana MD, McCulloch CE, Paul IM. The Effect of Early Limited Formula on Breastfeeding, Readmission, and Intestinal Microbiota: A Randomized Clinical Trial. *J Pediatr*. 2018 May;196:84-90.e1.
82. American Academy of Pediatrics Subcommittee on Hyperbilirubinemia. Management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics*. 2004 Jul;114(1):297-316. Erratum in: *Pediatrics*. 2004 Oct;114(4):1138.
83. Bhutani VK, Johnson LH. Newborn jaundice and kernicterus--health and societal perspectives. *Indian J Pediatr*. 2003 May;70(5):407-16. Review.